


# Light PIE




## CASAMBI



- Discover the perfect balance of innovation and elegance with the Adjustable Mini Spot, designed for seamless integration into 48V low voltage track systems.
- Precision Lighting Control: Equipped with a die-cast aluminum heat sink and passive dissipation system, ensuring optimal performance and longevity.
- Advanced Dimming Options: The plastic adapter features built-in DC/DC converters, offering DALI, Casambi, phase-cut, and 0-10V dimmable solutions. With an integrated Casambi module, enjoy independent control over dimming and switching for each spotlight.

- Flexible Adjustability: Featuring 355° rotation and 90° vertical tilt for precise directional lighting.
- High efficiency anti-glare optic lens with standard beam angles of 16°, 22°, 38°, 60°.
- Superior Light Efficiency: the system efficiency more than 100lm/W

### Optics



### TR11.M9

source	system		optic	CRI
	W	lm/W		
9W	10.5W	100lm/W	16°/24°/38°/60°	> 90
CCT				
2700K/3000K/4000K/1800-4000K/2700K-6500K				
Finishing(base)				
White/Black				
Finishing(pie)				
P01-P05				

### TR11.M10

source	system		optic	CRI
	W	lm/W		
9Wx2	10.5Wx2	100lm/W	16°/24°/38°/60°	> 90
CCT				
2700K/3000K/4000K/1800-4000K/2700K-6500K				
Finishing(base)				
White/Black				
Finishing(pie)				
P01-P05				